

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form : Substance
Trade name : NU2056 Tetrahydrofuran HPLC, GGR
Chemical name : tetrahydrofuran
IUPAC name : tetrahydrofuran
EC Index-No. : 603-025-00-0
EC-No. : 203-726-8
CAS-No. : 109-99-9
REACH registration No : 01-2119444314-46
Product code : TETR-0GH
Formula : C₄H₈O

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.2.1. Relevant identified uses**

Main use category : Laboratory use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

labbox labware s.l.
Migjorn, 1
P.O. Box Barcelona (SPAIN)
08338 Premia de Dalt – SPAIN
ES
T +34 937 07 79 70 - F +34 937 909 532
info@labbox.com - www.labbox.com

1.4. Emergency telephone number

Emergency number : +34 937 077 970 (For technical information_Office Hours) In case of medical emergency phone 112 or to your local emergency number.

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Flammable liquids, Category 2 H225
Carcinogenicity, Category 2 H351
Serious eye damage/eye irritation, Category 2 H319
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation H335
Full text of H and EUH statements: see section 16
Specific concentration limits:
(25 ≤C < 100) Eye Irrit. 2, H319
(25 ≤C < 100) STOT SE 3, H335

Adverse physicochemical, human health and environmental effects

No additional information available

NU2056 Tetrahydrofuran HPLC, GGR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

GHS08

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H225 - Highly flammable liquid and vapour.

H351 - Suspected of causing cancer.

H319 - Causes serious eye irritation.

H335 - May cause respiratory irritation.

Precautionary statements (CLP) :

P271 - Use only outdoors or in a well-ventilated area.

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 - IF exposed or concerned: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

EUH-statements

: EUH019 - May form explosive peroxides.

2.3. Other hazards

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance type

: Mono-constituent

Name	Product identifier	%
Tetrahydrofuran	CAS-No.: 109-99-9 EC-No.: 203-726-8 EC Index-No.: 603-025-00-0 REACH-no: 01-2119444314-46	99,8

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact

: Wash skin with plenty of water. Take off immediately all contaminated clothing.

First-aid measures after eye contact

: Immediately rinse with water for a prolonged period while holding the eyelids wide open. Consult an eye specialist.

First-aid measures after ingestion

: Drink plenty of water. Induce vomiting if victim completely conscious/alert. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation

: May cause respiratory irritation.

Symptoms/effects after skin contact

: Irritation.

NU2056 Tetrahydrofuran HPLC, GGR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Symptoms/effects after eye contact : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Never give anything by mouth to an unconscious person.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder.
Unsuitable extinguishing media : Strong water jet.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible liquid. Vapours are heavier than air and may spread along floors.
Hazardous decomposition products in case of fire : Corrosive vapours.

5.3. Advice for firefighters

Firefighting instructions : Evacuate area. Exercise caution when fighting any chemical fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Absorb spillage to prevent material damage. Evacuate area. Do not inhale vapour.

6.1.1. For non-emergency personnel

Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene.

6.1.2. For emergency responders

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.
Methods for cleaning up : Take up liquid spill into absorbent material. Absorb spillage to prevent material damage. On land, sweep or shovel into suitable containers.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Heading 8. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Take precautionary measures against static discharge. Keep in a cool, well-ventilated place away from heat.
Storage area : Store away from heat. Store in a dry area. Store in a cool, well-ventilated place.
Special rules on packaging : Keep only in original container. Store in a closed container.

7.3. Specific end use(s)

Laboratory chemicals.

NU2056 Tetrahydrofuran HPLC, GGR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

NU2056 Tetrahydrofuran HPLC, GGR (109-99-9)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Tetrahydrofuran
IOEL TWA	150 mg/m ³
IOEL TWA [ppm]	50 ppm
IOEL STEL	300 mg/m ³
IOEL STEL [ppm]	100 ppm
Remark	Skin
France - Occupational Exposure Limits	
Local name	Tétrahydrofuran(n)e
VME (OEL TWA)	150 mg/m ³
VME (OEL TWA) [ppm]	50 ppm
VLE (OEL Ceiling/STEL)	300 mg/m ³
VLE (OEL Ceiling/STEL) [ppm]	100 ppm
Remark	Valeurs réglementaires contraignantes; risque de pénétration percutanée
Germany - Occupational Exposure Limits (TRGS 900)	
Local name	Tetrahydrofuran
AGW (OEL TWA) [1]	150 mg/m ³
AGW (OEL TWA) [2]	50 ppm
Remark	DFG,EU,H,Y
Italy - Occupational Exposure Limits	
Local name	Tetraidrofurano
OEL TWA	150 mg/m ³
OEL TWA [ppm]	50 ppm
OEL STEL	300 mg/m ³
OEL STEL [ppm]	100 ppm
Portugal - Occupational Exposure Limits	
Local name	Tetra-hidrofurano
OEL TWA [ppm]	50 ppm
OEL STEL [ppm]	100 ppm
Spain - Occupational Exposure Limits	
Local name	Tetrahidrofurano
VLA-ED (OEL TWA) [1]	150 mg/m ³
VLA-ED (OEL TWA) [2]	50 ppm
VLA-EC (OEL STEL)	300 mg/m ³
VLA-EC (OEL STEL) [ppm]	100 ppm

NU2056 Tetrahydrofuran HPLC, GGR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

NU2056 Tetrahydrofuran HPLC, GGR (109-99-9)	
Remark	Vía dérmica (Indica que, en las exposiciones a esta sustancia, la aportación por la vía cutánea puede resultar significativa para el contenido corporal total si no se adoptan medidas para prevenir la absorción. En estas situaciones, es aconsejable la utilización del control biológico para poder cuantificar la cantidad global absorbida del contaminante. Para más información véase el Apartado 5 de este documento), VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo. Todos estos agentes químicos figuran al menos en una de las directivas de valores límite indicativos publicadas hasta ahora (ver Anexo C. Bibliografía). Los estados miembros disponen de un tiempo fijado en dichas directivas para su transposición a los valores límites de cada país miembro. Una vez adoptados, estos valores tienen la misma validez que el resto de los valores adoptados por el país), VLB® (Agente químico que tiene Valor Límite Biológico específico en este documento).
United Kingdom - Occupational Exposure Limits	
Local name	Tetrahydrofuran
WEL TWA [1]	150 mg/m ³
WEL TWA [2]	50 ppm
WEL STEL	300 mg/m ³
WEL STEL (ppm)	100 ppm
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

NU2056 Tetrahydrofuran HPLC, GGR (109-99-9)	
DNEL/DMEL (Workers)	
Acute - systemic effects, inhalation	300 mg/m ³
Acute - local effects, inhalation	300 mg/m ³
Long-term - systemic effects, dermal	25 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	150 mg/m ³
Long-term - local effects, inhalation	150 mg/m ³
DNEL/DMEL (General population)	
Acute - systemic effects, inhalation	150 mg/m ³
Acute - local effects, inhalation	150 mg/m ³
Long-term - systemic effects, oral	15 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	62 mg/m ³
Long-term - systemic effects, dermal	15 mg/kg bodyweight/day
Long-term - local effects, inhalation	75 mg/m ³
PNEC (Water)	
PNEC aqua (freshwater)	4,32 mg/l
PNEC aqua (marine water)	0,432 mg/l
PNEC aqua (intermittent, freshwater)	21,6 mg/l

NU2056 Tetrahydrofuran HPLC, GGR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

NU2056 Tetrahydrofuran HPLC, GGR (109-99-9)	
PNEC (Sediment)	
PNEC sediment (freshwater)	23,3 mg/kg dwt
PNEC sediment (marine water)	2,33 mg/kg dwt
PNEC (Soil)	
PNEC soil	2,13 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	67 mg/kg food
PNEC (STP)	
PNEC sewage treatment plant	4,6 mg/l

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

EN 374.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Appearance	: Liquid.

NU2056 Tetrahydrofuran HPLC, GGR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Molecular mass	: 72,11 g/mol
Odour	: ether-like odour.
Odour threshold	: Not available
Melting point	: -108,44 °C
Freezing point	: Not available
Boiling point	: 65 °C
Flammability	: Not available
Explosive limits	: Not available
Lower explosion limit	: 2 vol %
Upper explosion limit	: 12,4 vol %
Flash point	: -21,2 °C
Auto-ignition temperature	: 215
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Soluble.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 17 kPa Temp.: 20 °C
Vapour pressure at 50 °C	: Not available
Density	: 0,883 g/cm ³ Type: 'density' Temp.: 25 °C
Relative density	: Not available
Relative vapour density at 20 °C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Vapours may form explosive mixture with air. May form explosive peroxides.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Sparks.

10.5. Incompatible materials

Oxidizing agent. Strong acids.

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

NU2056 Tetrahydrofuran HPLC, GGR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Tetrahydrofuran (109-99-9)	
LD50 oral rat	1,65 mg/kg bodyweight Animal: rat, 95% CL: 1,25 - 2,19
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: other:Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), Part B: Methods for the determination of toxicity and other health effects: Acute Toxicity (Dermal); Official Journal of the European Union, No. L 142, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity), Guideline: other:Japan MAFF Testing Guideline of 12 Nosan No. 8147 as this in line with OECD 402
LC50 inhalation rat (ppm)	> 5000 ppm Animal: rat, Guideline: other:U. S. EPA, Toxic substances Control Act Health Effects Testing guideline, 40 CFR Part 798 Subpart G, Neurotoxicity (1985) and USEPA/FIFRA Neurotoxicity Pesticide Assessment Guidelines F, PB 91-154617 (1991)

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Suspected of causing cancer.
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.

Tetrahydrofuran (109-99-9)	
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

Tetrahydrofuran (109-99-9)	
LC50 - Fish [1]	2160 mg/l Test organisms (species): Pimephales promelas
EC50 - Daphnia [1]	3485 mg/dm ³ 48h
NOEC chronic fish	216 mg/l Test organisms (species): Pimephales promelas Duration: '33 d'
NOEC chronic algae	370 mg/dm ³ Scenedesmus quadricanda 8 days

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

NU2056 Tetrahydrofuran HPLC, GGR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Must follow special treatment according to local regulation.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

UN-No. (ADR) : UN 2056
UN-No. (IMDG) : UN 2056
UN-No. (IATA) : UN 2056
UN-No. (ADN) : UN 2056
UN-No. (RID) : UN 2056

14.2. UN proper shipping name

Proper Shipping Name (ADR) : TETRAHYDROFURAN
Proper Shipping Name (IMDG) : TETRAHYDROFURAN
Proper Shipping Name (IATA) : Tetrahydrofuran
Proper Shipping Name (ADN) : TETRAHYDROFURAN
Proper Shipping Name (RID) : TETRAHYDROFURAN
Transport document description (ADR) : UN 2056 TETRAHYDROFURAN, 3, II, (D/E)
Transport document description (IMDG) : UN 2056 TETRAHYDROFURAN, 3, II (< -18°C c.c.)
Transport document description (IATA) : UN 2056 Tetrahydrofuran, 3, II
Transport document description (ADN) : UN 2056 TETRAHYDROFURAN, 3, II
Transport document description (RID) : UN 2056 TETRAHYDROFURAN, 3, II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3



IMDG

Transport hazard class(es) (IMDG) : 3
Danger labels (IMDG) : 3



IATA

Transport hazard class(es) (IATA) : 3
Danger labels (IATA) : 3

NU2056 Tetrahydrofuran HPLC, GGR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



ADN

Transport hazard class(es) (ADN) : 3
Danger labels (ADN) : 3



RID

Transport hazard class(es) (RID) : 3
Danger labels (RID) : 3



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II


14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1
Limited quantities (ADR) : 1I
Excepted quantities (ADR) : E2
Packing instructions (ADR) : P001, IBC02, R001
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions (ADR) : TP1
Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 2
Special provisions for carriage - Operation (ADR) : S2, S20
Hazard identification number (Kemler No.) : 33
Orange plates :



Tunnel restriction code (ADR) : D/E
EAC code : •2YE

Transport by sea

Limited quantities (IMDG) : 1 L
Excepted quantities (IMDG) : E2

NU2056 Tetrahydrofuran HPLC, GGR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: B
Flash point (IMDG)	: below -18°C c.c.
Properties and observations (IMDG)	: Colourless liquid with an ethereal odour. Flashpoint: below -18°C c.c. Explosive limits: 1.5% to 12% Miscible with water.

Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 353
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
ERG code (IATA)	: 3H

Inland waterway transport

Classification code (ADN)	: F1
Limited quantities (ADN)	: 1 L
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 1

Rail transport

Classification code (RID)	: F1
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE7
Hazard identification number (RID)	: 33

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
3.	NU2056 Tetrahydrofuran HPLC, GGR
3(a)	NU2056 Tetrahydrofuran HPLC, GGR

NU2056 Tetrahydrofuran HPLC, GGR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
3(b)	NU2056 Tetrahydrofuran HPLC, GGR
40.	NU2056 Tetrahydrofuran HPLC, GGR

REACH Annex XIV (Authorisation List)

NU2056 Tetrahydrofuran HPLC, GGR is not on the REACH Annex XIV List

REACH Candidate List (SVHC)

NU2056 Tetrahydrofuran HPLC, GGR is not on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

NU2056 Tetrahydrofuran HPLC, GGR is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

NU2056 Tetrahydrofuran HPLC, GGR is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

Tetrahydrofuran is not subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

France

Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to VwVwS, Annex 1 or 2; ID No. 190).
Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed
SZW-lijst van mutagene stoffen : The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

NU2056 Tetrahydrofuran HPLC, GGR

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Danish National Regulations

: Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product
The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:

Carc. 2	Carcinogenicity, Category 2
EUH019	May form explosive peroxides.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.